

# FREESTYLE PHOTOGRAPHIC SUPPLIES

## ARISTA® PREMIUM PAPER DEVELOPER POWDER

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Distributor: Freestyle Photographic Supplies

5124 Sunset Blvd., Hollywood, CA 90027

Product Name: **ARISTA® PREMIUM PAPER DEVELOPER**

Product Number: **734710P**

**Product Use:** Photographic developer.

**Customer Information Phone Number:**

1-800-292-6137

**CHEMTREC®: 24 Hour Emergency Transport Phone Number: 1-800-424-9300**

Date Reviewed: 2/26/2015

Rev. 2.0

### 2. HAZARDOUS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Health hazard

Acute toxicity, Oral (Category 4), H302

Serious eye damage (Category 2A), H318

Skin sensitization (Category 2), H317

Germ cell mutagenicity (Category 2), H341


Carcinogenicity (Category 2), H351

Acute aquatic toxicity (Category 1), H400

Chronic aquatic toxicity (Category 1), H410

#### 2.2 GHS Label elements, including precautionary statements

##### Pictogram



**Signal Word: WARNING**

##### Hazard statement(s)

H302 Harmful if swallowed

H315 Causes skin irritation

H317 May cause allergic skin reaction

H318 Causes severe eye damage

H335 May cause respiratory irritation

H341 Suspected of causing genetic defects

# MATERIAL SAFETY DATA SHEET



H351 Suspected of causing cancer  
H410 Very toxic to aquatic life

## Precautionary statement(s)

P201 Obtain special instructions before use  
P261 Avoid breathing mist  
P264 Wash skin thoroughly after handling  
P270 Do not eat, drink, or smoke when using this product  
P273 Avoid release into the environment  
P280 Wear protective gloves, eye protection  
P301 + P312 IF SWALLOWED; call a POISON CENTER or doctor/physician if you feel unwell  
P302 + P352 IF ON SKIN: Wash with plenty of soap  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P321 Specific treatment (see supplemental first aid instructions on this label).  
P330 Rinse mouth.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.  
P337 + P313 If eye irritation persists: Get medical advice/attention.  
P363 Wash contaminated clothing before reuse  
P391 Collect spillage  
P501 Dispose of contents to an approved waste disposal plant.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

| <u>Chemical Name</u> | <u>CAS</u> | <u>OHSA PEL</u>    | <u>ACGIH TLV</u>   | <u>Weight %</u> |
|----------------------|------------|--------------------|--------------------|-----------------|
| SODIUM SULFITE       | 7757-83-7  | N.E.               | N.E.               | 60-65           |
| SODIUM CARBONATE     | 497-19-8   | N.E.               | N.E.               | 25-35           |
| HYDROQUINONE         | 123-31-9   | 2mg/m <sup>3</sup> | 2mg/m <sup>3</sup> | 5-10            |

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

**Eye Contact:** Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

**Inhalation:** If symptomatic, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

**Ingestion:** Do not induce vomiting. Only induce vomiting at the instruction of medical personnel. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

**Skin Contact:** Flush skin with plenty of water and wash with a non-alkaline skin cleaner. Wash contaminated clothes before reuse. Get medical attention if irritation develops.

**Aggravated Medical Conditions:** Individuals who are under the care of a physician or have chronic ailments, should consult a physician before using this product. May cause severe allergic reaction in some asthmatics and sulfite sensitive individuals.

## 5. FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

Use agent appropriate for surrounding fire.

### 5.2 Special Hazards arising from substance or mixture

Fire or excessive heat may cause production of hazardous decomposition products.

Combustion Products: Carbon dioxide, carbon monoxide, and oxides of sulfur and sodium.

### 5.3 Advise for firefighters

Wear self-contained breathing NIOSH/MSHA approved apparatus and protective clothing to prevent contact with skin and eyes. Fire or excessive heat may produce hazardous decomposition products. Use water to keep containers cool.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Review fire and explosion hazards and safety precautions before proceeding with cleanup. Use appropriate personal protective equipment. Avoid contact with skin and eyes. Stop the spillage. If dry, sweep up chemical and place in hazardous waste container. If working solution, dike the spill. Prevent liquid from entering sewers, waterways or low areas. Absorb spillage in inert material. Soak up with sawdust, sand, or other absorbent material. Remove non-usable solid material and/or contaminated soil for disposal in an approved and permitted landfill.

### 6.2 Environmental precautions

Prevent from entering sewers, waterways or low areas. Discharge to sewer requires approval of permitting authority and may require pre-treatment. Contaminated surfaces should be cleaned using water.

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Store in a cool, dry, well-ventilated area. Keep containers closed. Do not store or consume food, drink, or tobacco where they may become contaminated with this material.

### 7.2 Conditions for safe storage, including any incompatibles

Do not store with incompatible materials. Do not store with strong acids. All labeled precautions must be observed when handling, storing and transporting empty containers due to product residues. Triple rinse before disposal. Dispose of in a licensed facility.

## 8. EXPOSURE CONTROL / PERSONAL PROTECTION

### 8.1 Control parameters

See Section 3.

### 8.2 Exposure controls

Use good personal hygiene when handling this product. Wash hands after use, before smoking, or using the toilet. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

**Personal protective equipment**

**Eye Protection:** Safety glasses with side shields (or goggles).

**Respiratory Protection:** Avoid breathing dust. Wear OSHA approved dust filter respirator if TLV is likely to be exceeded. Respirator type: N95 Particulate Filter.

**Skin protection:** Latex, rubber, or neoprene waterproof gloves are recommended.

**Body protection:** Rubber or plastic apron.

**Respiratory protection:** Local exhaust ventilation is recommended. Ventilation must be adequate to keep hazardous ingredients below their exposure limits.

**9. PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

Appearance And Odor: White solid with no odor

Solubility In Water: appreciable

Boiling Point: Not applicable

Flash Point: Nonflammable

Flash Point Method: Not applicable

Auto ignition: Not applicable

LEL: Not applicable

UEL: Not applicable

Vapor Pressure: 18 mm Hg @ 20° CVapor Pressure: Negligible

Specific Gravity: Not applicable

Melting Point: Not available

Freezing Point: Not available N.E.

Evaporation Rate: Not applicable

Vapor Density: Not applicable

Percent Volatile: 0

Ph: Not applicable

Ph: (1:2 ready to use) 10.17

Molecular Weight: N.E.

Pounds per Gallon 9.46

V.O.C. = 0

**10. STABILITY AND REACTIVITY****10.1 Reactivity**

Stable

**10.2 Chemical stability**

Conditions To Avoid: None

**10.3 Possibility of hazardous reactions**

No data available

**10.4 Conditions to avoid**

No data available

**10.5 Incompatible Materials**

Strong acids will liberate sulfur dioxide, carbon dioxide.

**10.6 Decomposition Products**

May produce oxides of sulfur and carbon

**11. TOXICOLOGICAL INFORMATION****11.1 Information of toxicological effects****Component information*****Hydroquinone 123-31-9*****Acute toxicity:**

Oral LD-50 (rat) 367.3 mg/kg (OECD Test Guidance 401)

Dermal LD-50 (rabbit) >2,000 mg/kg (OECD Test Guidance 402)

Inhalation: no data

**Skin irritation: no data**

**Eye irritation: no data**

**Respiratory or Skin Sensitization** (in vivo assay – mouse (OECD Test Guidance 429)

May cause sensitization by skin contact.

May cause allergic skin reaction.

**Carcinogenicity/mutagenicity:** none

***Sodium Carbonate 497-19-8*****Acute toxicity:**

LD50 Oral – rat – 2800 mg/kg

**Skin irritation:**

LD50 Dermal – rabbit > 2000 mg/kg

**Eye irritation:**

No data available

**Respiratory or Skin Sensitization**

LD50 Inhalation – guinea pig – 800 mg.m<sup>3</sup>

**Carcinogenicity/mutagenicity:** none

***Sodium Sulfite 7757-83-7*****Acute toxicity:**

Oral LD-50 (rat) 3,560 mg/kg

Inhalation LD-50 (rat) >5,500 mg/m<sup>3</sup> - 4 h

Dermal: no data

**Skin irritation:**

Skin – rabbit  
 Result: No skin irritation

**Eye irritation:**

Skin – rabbit  
 Result: No skin irritation

**Respiratory or Skin Sensitization**

Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

**Carcinogenicity/mutagenicity:** none

**12. ECOLOGICAL INFORMATION**

**Component information**

***Hydroquinone 123-31-9***

**12.1 Toxicity**

|   |   |
|---|---|
| Toxicity to fish                                    | LC50-Oncorhynchus mykiss (rainbow trout) – 0.4 -0.1 mg/l – 96h          |
| Toxicity to daphnia and other aquatic invertebrates | LC50 – Daphnia magna (Water flea) – 0.13 – 48h                          |
| Toxicity to algae                                   | EC50 – Pseudokirchneriella subcapitata (green algae) -0.335 mg/l – 72 h |

**12.2 Persistence and degradability**

Biodegradability                      Biotic/Aerobic – exposure time 14d  
 Result: 86% - Readily biodegradable

**12.3 Bioaccumulative potential**

Bioaccumulation                      Leuciscus idus (golden orfe) – 3d – 50 µg/l No data available  
 Bioconcentration factor (BCF):40

**12.4 Mobility in soil**

No data available

**12.5 Result of PBT and vPvB assessment**

Assessment not available as chemical assessment not required/not conducted

**12.5 Other adverse effects**

Very toxic to aquatic life with long lasting effects.

**Sodium Carbonate 497-19-8****12.1 Toxicity**

LC50 /96 hours: 300 mg/l (bluegill, sunfish)  
EC50/48 hours: 200-227 mg/L (Ceriodaphnia)

**12.2 Persistence and degradability**

This product is completely biodegradable.

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Result of PBT and vPvB assessment**

Assessment not available as chemical assessment not required/not conducted

**Sodium Sulfite 7757-83-7****12.1 Toxicity**

Toxicity to fish LC50- Gambusia affinis (Mosquito fish) -660 mg/l – 96h

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Result of PBT and vPvB assessment**

Assessment not available as chemical assessment not required/not conducted

**12.5 Other adverse effects**

None

**13. DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods****Product**

Preferred options for disposal are to send to licensed reclaimers, or to permitted incinerators. Any disposal practice must be in compliance with federal, state, and local regulations. Do not dump into sewers, ground, or any body of water.

**14. TRANSPORT INFORMATION****DOT (US)**

Not regulated

**15. REGULATORY INFORMATION****SARA 302 Components**

The following components are subject to reporting levels established by SARA Title III, Section 302:

|              | Cas#     | Revision Date |
|--------------|----------|---------------|
| Hydroquinone | 123-31-9 | 2007-07-01    |

**SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

|              | Cas#     | Revision Date |
|--------------|----------|---------------|
| Hydroquinone | 123-31-9 | 2007-07-01    |

**SARA 311/312 Hazards**

Acute Health Hazard, Chronic Health Hazard

**California Prop 65 Components**

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

**TSCA**

All ingredients in this finished product are listed on the EPA TSCA INVENTORY.

**SCAQMD Rule 443.1**

Photochemically Reactive: No

Maximum Grams of VOC per Liter: 0 g/L

Vapor Pressure: 18 mm Hg@ 20 Degrees C

**16. OTHER INFORMATION****Full text of H-statements referred to under sections 2 and 3.**

Acute toxicity, Oral (Category 4), H302  
Serious eye damage (Category 1), H318  
Skin sensitization (Category 1), H317  
Acute aquatic toxicity (Category 1), H400



**HMIS RATING**

Health: 2

Flammability: 0

Reactivity: 0

OTHER ADDITIONAL INFORMATION: The information contained herein is based on the data available to us and is believed to be accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for the injuries from the use of the product described herein.