

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.02.2015 version no: 2 Revision: 20.02.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

. 1.1 Product identifier

. Trade name: $\underline{Centrabrom\ S}$

. Article number: 107143

. 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

. Application of the substance / the mixture Black and white developer for photographic use

. 1.3 Details of the supplier of the safety data sheet

. Manufacturer/Supplier:

TETENAL Europe GmbH

Schützenwall 31-35

D-22844 Norderstedt / Germany

Phone: ++49 (0) 40 521 45-0; Fax: +49 (0) 40-52145-296

www.tetenal.com; E-Mail: info@tetenal.com

TETENAL Ltd.,

2 Meridian West, Meridian Business Park, Leicester LE19 1WX Phone: 0116 - 289 3644; E-Mail: uk@tetenal.com; www.tetenaluk.com

- . Further information obtainable from: Department environment and safety. E-Mail: info@tetenal.com
- . 1.4 Emergency telephone number: Poison Information Centre Berlin (Germany): +49 (0) 30 30686 790

SECTION 2: Hazards identification

- . 2.1 Classification of the substance or mixture
- . Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

. Classification according to Directive 67/548/EEC or Directive 1999/45/EC

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

. Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

. Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- . 2.2 Label elements
- . Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

. Hazard pictograms



- . Signal word Warning
- . Hazard-determining components of labelling:

Bis(4-hydroxy-N-methylanilinium) sulphate

(Contd. on page 2)



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.02.2015 version no: 2 Revision: 20.02.2015

Trade name: Centrabrom S

(Contd. of page 1)

. Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

. Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P501 Dispose of contents/container in accordance with local regulations.

. 2.3 Other hazards

- . Results of PBT and vPvB assessment
- . **PBT:** Not applicable.
- . vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

. 3.2 Chemical characterisation: Mixtures

. Description: Mixture of substances listed below and with nonhazardous additions.

. Dangerous components:		
CAS: 111-46-6	diethylene glycol	10-<25%
EINECS: 203-872-2	Xn R22	
Index number: 603-140-00-6	① Acute Tox. 4, H302	
CAS: 497-19-8	Sodium carbonate	5-10%
EINECS: 207-838-8	X i R36	
Index number: 011-005-00-2	Eye Irrit. 2, H319	
Reg.nr.: 01-2119485498-19		
CAS: 55-55-0	Bis(4-hydroxy-N-methylanilinium) sulphate	1- 5%
EINECS: 200-237-1	Xn R22-48/22; Xi R43; ₩ N R50/53	
Index number: 650-031-00-4	STOT RE 2, H373; & Aquatic Acute 1, H400; Aquatic	
	Chronic 1, H410; (Acute Tox. 4, H302; Skin Sens. 1, H317	
CAS: 92-43-3	1-Phenyl-3-pyrazolidone	0.1 -<1%
EINECS: 202-155-1	Xn R22; W N R51/53	
Index number: 606-022-00-2	Aquatic Chronic 2, H411; Acute Tox. 4, H302	
CAS: 123-31-9	hydroquinone	0.1-<1%
EINECS: 204-617-8	Xn R22-40-68; Xi R41; Xi R43; N R50	
Index number: 604-005-00-4	Carc. Cat. 3, Muta. Cat. 3	
Reg.nr.: 01-2119524016-51	♦ Muta. 2, H341; Carc. 2, H351; ♦ Eye Dam. 1, H318;	
	Aquatic Acute 1, H400 (M=10); Acute Tox. 4, H302; Skin	
	Sens. 1, H317	

. Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- . 4.1 Description of first aid measures
- . After inhalation: Supply fresh air; consult doctor in case of complaints.
- . After skin contact: Immediately wash with water and soap and rinse thoroughly.
- . After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- . After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- . 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.02.2015 version no: 2 Revision: 20.02.2015

Trade name: Centrabrom S

(Contd. of page 2)

. 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- . 5.1 Extinguishing media
- . Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

. 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Carbon monoxide (CO)

Sulphur dioxide (SO2)

- . 5.3 Advice for firefighters
- . Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- . 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- . 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

. 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Pick up mechanically.

. 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

. 7.1 Precautions for safe handling

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

- . Information about fire and explosion protection: No special measures required.
- . 7.2 Conditions for safe storage, including any incompatibilities
- . Storage:
- . Requirements to be met by storerooms and receptacles: No special requirements.
- . Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidising and acidic materials.

. Further information about storage conditions:

Recommended storage temperature: 15-25 °C

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Store under lock and key and out of the reach of children.

Recommended storage temperature: 5-30 °C

Protect from exposure to the light.

. 7.3 Specific end use(s) No further relevant information available.

EN ·



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.02.2015 version no: 2 Revision: 20.02.2015

Trade name: Centrabrom S

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

- . Additional information about design of technical facilities: No further data; see item 7.
- . 8.1 Control parameters

. Ingredien	. Ingredients with limit values that require monitoring at the workplace:		
111-46-6	111-46-6 diethylene glycol (10-<25%)		
WEL (Gre	WEL (Great Britain) Long-term value: 101 mg/m³, 23 ppm		
WEEL (U	WEEL (USA) Long-term value: 10 mg/m ³		
. DNELs	. DNELs		
123-31-91	123-31-9 hydroquinone		
Dermal	Long-term - systemic - effects, worker	128 mg/kg bw/day (Worker (Arbeiter))	
	Long-term - systemic effects, general population	64 mg/kd bw/day (Worker (Arbeiter))	
Inhalative	Long-term - local - effects, worker	1 mg/m3 (Worker (Arbeiter))	
	Long-term - local effects, general population	0.5 mg/m³ (Worker (Arbeiter))	
	Long-term - systemic - effects, worker	7 mg/m3 (Worker (Arbeiter))	
	Long-term - systemic effects, general population	1.74 mg/m³ (Worker (Arbeiter))	

. PNECs

123-31-9 hydroguinone

123-31-9 Hydroquinone	
Aquatic compartment - freshwater	0.000114 mg/L (Water)
Aquatic compartment - marine water	0.000114 mg/L (Water)
Aquatic compartment -sediment in freshwater	0.00098 mg/kg sed dw (Water)
Aquatic compartment -sediment in marine water	0.000097 mg/kg sed dw (Water)
Aquatic compartment -water, intermittent releases	0.00134 mg/L (Water)
Sewage treatment plant	0.71 mg/L (Sewage Treatment Plant)
Terrestrial compartment -soil	0.000129 mg/kg dw (Soil)

- . Additional information: The lists valid during the making were used as basis.
- . 8.2 Exposure controls
- . Personal protective equipment:
- . General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- . **Respiratory protection:** Ensure adequate ventilation
- . Protection of hands:



Impervious gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

. Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Butyl rubber, BR Nitrile rubber, NBR

(Contd. on page 5)



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.02.2015 version no: 2 Revision: 20.02.2015

Trade name: Centrabrom S

(Contd. of page 4)

Neoprene gloves

. Penetration time of glove material

Gove material breakthroug-time layer thickness Butyl rubber: >480 min $\ge 0,4 \text{mm}$ Nitrile rubber: >480 min $\ge 0,38 \text{mm}$ Neoprene: >240 min $\ge 0,65 \text{mm}$

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be

observed.

. Eye protection: Safety glasses

. Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

- . 9.1 Information on basic physical and chemical properties
- . General Information

. Appearance:

Form: Fluid
Colour: Light yellow
Odourless

. **pH-value at 20 °C:** 10.5

. Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined.

. **Flash point:** Not applicable.

. **Ignition temperature:** 230 °C

. **Self-igniting:** Product is not selfigniting.

. **Danger of explosion:** Product does not present an explosion hazard.

. Explosion limits:

Lower: 0.7 Vol % **Upper:** 22.0 Vol %

. **Vapour pressure at 20 °C:** 23 hPa

. **Density at 20 °C:** 1.198 g/cm³

. Solubility in / Miscibility with

water: Fully miscible.

. Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

. Solvent content:

Organic solvents: 16.6 % Water: >63 %

. **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- . 10.1 Reactivity
- . 10.2 Chemical stability
- . Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 6)



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.02.2015 version no: 2 Revision: 20.02.2015

Trade name: Centrabrom S

(Contd. of page 5)

. 10.3 Possibility of hazardous reactions

Reacts with alkali, amines and strong acids.

Reacts with acids releasing sulphur dioxide.

- . 10.4 Conditions to avoid No further relevant information available.
- . 10.5 Incompatible materials: No further relevant information available.
- . 10.6 Hazardous decomposition products:

Irritant gases/vapours

Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- . 11.1 Information on toxicological effects
- . Acute toxicity:

. LD/LC50	values	relevant for classification:
111-46-6	liethyl	ene glycol
Oral	LD50	12565 mg/kg (rat)
497-19-8 \$	Sodium	n carbonate
Oral	LD50	4090 mg/kg (rat)
		>2000 mg/kg (rabbit)
Inhalative	LC50	2h: 2.3 mg/L (rat)
92-43-3 1-	Pheny	l-3-pyrazolidone
Oral	LD50	475 mg/kg (rat)
123-31-9 1	ıydroq	uinone
Oral	LD50	320 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)

- . Primary irritant effect:
- . on the skin: No irritant effect.
- . on the eye: No irritating effect.
- . Sensitisation: Sensitising effect by skin contact is possible by prolonged exposure.

SECTION 12: Ecological information

. 12.1 Toxicity

. Aquatic toxicity:

	6-6 diethylene glycol	
EC50	24h: >1000 mg/l (daphnia mag	ς

EC50 24h: >1000 mg/l (daphnia magna (Großer Wasserfloh))

LC50 96h: >32000 mg/L (fish (acute toxicity study))

497-19-8 Sodium carbonate

EC50 48 hr: 265 mg/l (daphnia magna (Großer Wasserfloh))

55-55-0 Bis(4-hydroxy-N-methylanilinium) sulphate

EC50 72h: 10 mg/l (alg)

19 mg/l (daphnia magna (Großer Wasserfloh))

48h: 0.02 mg/l (inv)

92-43-3 1-Phenyl-3-pyrazolidone

EC50 96h: 10 mg/l (daphnia magna (Großer Wasserfloh))

LC50 96h: 1-10 mg/L (fish (acute toxicity study))

(Contd. on page 7)



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.02.2015 Revision: 20.02.2015 version no: 2

Trade name: Centrabrom S

(Contd. of page 6)

123-31-9 hydroquinone

EC50 48h: 0.29 mg/l (daphnia magna (Großer Wasserfloh))

LC50 96h: 0.044 mg/L (Pimephales promelas)

- . 12.2 Persistence and degradability No further relevant information available.
- . 12.3 Bioaccumulative potential No further relevant information available.
- . 12.4 Mobility in soil No further relevant information available.
- . Ecotoxical effects:
- . Remark: Harmful to fish
- . Additional ecological information:
- . General notes:

Harmful to aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

- . 12.5 Results of PBT and vPvB assessment
- . PBT: Not applicable.
- . vPvB: Not applicable.
- . 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- . 13.1 Waste treatment methods
- . Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

. European waste catalogue

09 01 01 water-based developer and activator solutions

- . Uncleaned packaging:
- . **Recommendation:** Disposal must be made according to official regulations.
- . Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Annex		

(Contd. on page 8)



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 20.02.2015 Printing date 20.02.2015 version no: 2

Trade name: Centrabrom S

(Contd. of page 7)

. UN "Model Regulation":

SECTION 15: Regulatory information

- . 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- . 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

. Relevant phrases

- H302 Harmful if swallowed.
- May cause an allergic skin reaction. H317
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- R22 Harmful if swallowed.
- R36 Irritating to eyes.
- Limited evidence of a carcinogenic effect. R40
- R41 Risk of serious damage to eyes.
- R43 May cause sensitisation by skin contact.
- R48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed.
- Very toxic to aquatic organisms.
- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R68 Possible risk of irreversible effects.
- . Contact: e-mail: sida@tetenal.com

. Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Muta. 2: Germ cell mutagenicity, Hazard Category 2

Carc. 2: Carcinogenicity, Hazard Category 2

(Contd. on page 9)



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.02.2015 version no: 2 Revision: 20.02.2015

Trade name: Centrabrom S

(Contd. of page 8)

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3. * Data compared to the previous version altered.